



FIX 115

Robatayaki Mibrasa® with three fixed tiers



## FEATURES

Inspired by the centuries-old Japanese style of cooking Robatayaki, a multi-tier open charcoal grill equipped with accessories to perform a range of cooking techniques using grills, Teppanyaki hot plates or skewers. Robata grilling lends to an array of foods from meat, fish, seafood and vegetables, imparting light smoky aromas and flavors we seek in grill cooking.

Originating from the Japanese tea ceremony, which overtime found its way to the north Japanese fishermen utilizing this method to keep food hot while out at sea for long periods. The evolution of the Robatayaki has brought it into the modern kitchen, where chefs prepare the food and display their showmanship in front of diners allowing them to take part in the entire cooking experience.

## QUALITY AND CONSTRUCTION

The Mibrasa® Robatayaki is manufactured with the highest quality steels of the latest technology following the most rigorous quality controls.

## TECHNICAL INFORMATION

Reference	RM115
Fire up time*	30 min
Cooking temperature	482 °F / 250 °C
Max n° grills / level	3
Initial charcoal load <sup>1</sup>	15.5 lb / 7 kg
Charcoal load duration <sup>2</sup>	5 h
Equivalent power*	2.7 hp / 2 kW
Exhaust rate	1765 cfm / 3000 m³/h
Net weight <sup>3</sup>	361.5 lb / 164 kg
Crated weight <sup>3</sup>	500.5 lb / 227 kg
Crate dimensions (Width x Depth x Height)	53.54 x 22.05 x 48.8 in 1360 x 560 x 1240 mm

\*Approximate data

1. Consult instruction manual

2. Will vary depending on quality of charcoal

3. Weight with accessories included

## INCLUDED ACCESSORIES

- 6 top grills [RTG]
- 3 lower grills [RLG]
- Support bars (4)
- Ember poker [PK]
- Ash shovel [PALA]
- Mibrasa tong [TG]
- Metal brush [CEP]

## OPTIONAL ACCESSORIES

- Top and lower mesh grill [TGM] [LGM]
- Perforated teppanyaki griddle [PTG]
- Flat top teppanyaki griddle [FTTG]
- Espeto kit [KITESPRM115]
- Gastronorm kit [SGN115]
- End of service lid [TAPARM115]
- Drop-leaf table [DLS]
- Stand [S115]

## Color



Black



Blue



Red

Stainless  
steel

Yellow

## Edition



Gold



Black



Copper



Titanium



Silver


## QUALITY GUARANTEE




Rev. 11/25

Mibrasa® USA Corporation  
8950 SW 74th Ct, Suite 1406 Miami Florida 33156  
408-348-7607  
usa@mibrasa.com  
www.usa.mibrasa.com


Front view



Side view




Top view



Dimensions in inches and mm

Revit drawings available on request at [usa@mibrasa.com](mailto:usa@mibrasa.com)



## INSTALLATION GUIDELINES AND SAFETY STANDARDS


Recommended installation height	27.6 in / 700 mm
Clearances to construction/other appliances from the Robatayaki	3 in / 76 mm
Clearances of flammable materials from the Robatayaki	11.8 in / 300 mm
Clearance of workspace from front of the Robatayaki	27.6 in / 700 mm




It is recommended to use a lifting device to lift the Robatayaki and place on the countertop/stand. Consult Robatayaki instruction manual for further information.

## GRILLS

Grill



Mesh grill



Flat top teppanyaki griddle




Perforated teppanyaki griddle



## GRILL DIMENSIONS

Top



Lower

