




SINGLE 100

Mibrasa® Parrilla with one grill



FEATURES

Precision and strength is key to the PARRILLA MIBRASA®. Effortlessly regulate the height of your grill surface thanks to the carefully engineered double chain system coupled with the crank wheel and gearbox, keeping maintenance down to a minimum.

ERGONOMICALLY DESIGNED WITH MAXIMUM QUALITY AND SECURITY

With a sloping grill, the grease runs down the weld-free grill bars to prevent grease build-up. Grease drips down to the collector with an easy to remove mechanism ready to clean.

The base is lined with refractory bricks to ensure maximum heat efficiency and resistance to pure fire. And the built-in cooling system in outer case guarantees a maximum level of security.

Built using quality steels providing strength and durability; ergonomically designed for practicality and ease of use, each feature plays a crucial part in delivering the ultimate grilling machine for every chef.

TECHNICAL INFORMATION

Reference	GMB 100
Fire up time*	30 min
Cooking temperature	250 °C
Grill height range	350 mm
Initial charcoal load ¹	10 kg
Charcoal load duration ²	5 h
Equivalent power*	4.5 kW
Exhaust rate	4100 m ³ /h
Net weight ³	265 kg
Crated weight ³	375 kg
Crate dimensions (WxDxH)	1120 x 1310 x 1380 mm

*Approximate data

1. Consult instruction manual

2. Will vary depending on quality of charcoal

3. Weight with accessories included

INCLUDED ACCESSORIES

- Mibrasa tongs [TG]
- Ash shovel [PALA]
- Ember poker [PK]
- Grill brush [CEP]
- 1 rod grill [CPV-100]

OPTIONAL ACCESSORIES

- V-shape grill [GV-100]
- End of service lid [TAPA85]
- Protective structure [EPGMB100]
- Espeto kit [KITESPGMB100]
- Gastronorm kit [SGN100]

Color



Black



Blue



Red



Stainless steel



Yellow

Edition



Gold



Black



Copper



Titanium



Silver

QUALITY GUARANTEE



Rev. 11/25

Mibrasa® Charcoal Ovens S.L


C/Juan Rovira i Bastons, 26

17230 Palamós - Spain


+34 972 601 942 - mibrasa@mibrasa.com

www.mibrasa.com


Front view




Side view



Top view




Dimensions in mm




A	Elevating system
B	Elevating wheel
C	Heating rack
D	Structure
E	Grill
F	Grease collector
G	Refractory bricks
H	Main body

GRILL TYPES


Rod bar grill




V shape grill




GRILL DIMENSIONS



HEATING RACK DIMENSION



OPTIONAL LID DIMENSION



INSTALLATION GUIDELINES AND SAFETY STANDARDS

Recommended installation height	700 mm
Clearances to construction/other appliances from the Parrilla	76 mm
Clearances of flammable materials from the Parrilla	300 mm
Clearance of workspace from front of the Parrilla	700 mm



It is recommended to use a lifting device to lift the Parrilla and place on the countertop/stand. Consult Parrilla instruction manual for further information.

Specifications and design are subject to change without notice.

OPTIONAL COMPLETE STAND



TECHNICAL INFORMATION

Ref.	SINGLE 100 + MCGMB100
Net weight ³	349 kg
Crated weight ³	459 kg
Crate dimensions (WxDxH)	1120 x 1310 x 2000mm


Ref.	MCGMB100
Net weight ³	84 kg
Crated weight ³	99 kg
Crate dimensions (WxDxH)	1120 x 1310 x 700mm

OPTIONAL ACCESSORIES


- Stainless steel casters [WINOXG]

Dimensions in mm

FRONT VIEW



SIDE VIEW



*Adjustable leg height 135-195 mm

OPTIONAL STAND



Dimensions in mm

TECHNICAL INFORMATION


Ref.	GMB100 + MAGMB100
Net weight ³	310 kg
Crated weight ³	420 kg
Crate dimensions (WxDxH)	1120 x 1310 x 2000 mm

Ref.	MAGMB100
Net weight ³	45 kg
Crated weight ³	60 kg
Crate dimensions (WxDxH)	1120 x 1310 x 700 mm


OPTIONAL ACCESSORIES

- Stainless steel casters [WINOXG]

FRONT VIEW



SIDE VIEW



*Adjustable leg height 135-195 mm