




TRIPLE 252

Mibrasa® Parrilla with three grills



FEATURES

Precision and strength is key to the PARRILLA MIBRASA®. Effortlessly regulate the height of your grill surface thanks to the carefully engineered double chain system coupled with the crank wheel and gearbox, keeping maintenance down to a minimum.

ERGONOMICALLY DESIGNED WITH MAXIMUM QUALITY AND SECURITY

With a sloping grill, the grease runs down the weld-free grill bars to prevent grease build-up. Grease drips down to the collector with an easy to remove mechanism ready to clean.

The base is lined with refractory bricks to ensure maximum heat efficiency and resistance to pure fire. And the built-in cooling system in outer case guarantees a maximum level of security.

Built using quality steels providing strength and durability; ergonomically designed for practicality and ease of use, each feature plays a crucial part in delivering the ultimate grilling machine for every chef.

TECHNICAL INFORMATION

Reference	GMB 252-3GR
Fire up time*	30 min
Cooking temperature	482 °F / 250 °C
Grill height range	13.8 in / 350 mm
Initial charcoal load ¹	55 lb / 25 kg
Charcoal load duration ²	5 h
Equivalent power*	8 hp / 6 kW
Exhaust rate	3296 cfm / 5600 m ³ /h
Net weight ³	1334 lb / 605 kg
Crated weight ³	1812.5 lb / 822 kg
Crate dimensions (WxDxH)	104.4 x 39.8 x 54.4 in 2650 x 1010 x 1380 mm

*Approximate data

1. Consult instruction manual

2. Will vary depending on quality of charcoal

3. Weight with accessories included

INCLUDED ACCESSORIES

- Mibrasa tongs [TG]
- Ash shovel [PALA]
- Ember poker [PK]
- Grill brush [CEP]
- 3 rod grills [CPV-252]

OPTIONAL ACCESSORIES

- V-shape grill [GV-252]
- End of service lid [TAPA65]
- Protective structure [EPGMB252]
- Espeto kit [KITESPGMB52]
- Gastronorm kit [SGN252]

Color



Black



Blue



Red



Stainless steel



Yellow

Edition



Gold



Black



Copper



Titanium



Silver


QUALITY GUARANTEE




Rev. 7.26

Mibrasa® USA Corporation
8950 SW 74th Ct, Suite 1406
Miami, Florida 33156
408-348-7607 usa@mibrasa.com
www.usa.mibrasa.com


Front view




Side view



Top view




Dimensions in mm




A	Elevating system
B	Elevating wheel
C	Heating rack
D	Structure
E	Grill
F	Grease collector
G	Refractory bricks
H	Main body

GRILL TYPES


Rod bar grill




V shape grill




GRILL DIMENSIONS



HEATING RACK DIMENSION



OPTIONAL LID DIMENSION



INSTALLATION GUIDELINES AND SAFETY STANDARDS

Recommended installation height	27.6 in / 700 mm
Clearances to construction/other appliances from the Parrilla	3 in / 76 mm
Clearances of flammable materials from the Parrilla	11.8 in / 300 mm
Clearance of workspace from front of the Parrilla	27.6 in / 700 mm



It is recommended to use a lifting device to lift the Parrilla and place on the countertop/stand. Consult Parrilla instruction manual for further information.

Specifications and design are subject to change without notice.

Mibrasa® USA Corporation
8950 SW 74th Ct, Suite 1406
Miami, Florida 33156
408-348-7607 usa@mibrasa.com
www.usa.mibrasa.com



TRIPLE 252+ MCGMB252

Mibrasa® Parrilla with complete stand

OPTIONAL COMPLETE STAND



TECHNICAL INFORMATION

Ref.	GMB252-3GR + MCGMB252
Net weight ³	1642.5 lb / 745 kg
Crated weight ³	2121 lb / 962 kg
Crate dimensions (WxDxH)	104.4 x 39.8 x 78.8 in 2650 x 1010 x 2000 mm


Ref.	MCGMB252
Net weight ³	309 lb / 140 kg
Crated weight ³	353 lb / 160 kg
Crate dimensions (WxDxH)	104.4 x 39.8 x 27.6 in 2650 x 1010 x 700 mm

OPTIONAL ACCESSORIES


- Stainless steel casters [WINOXG]

Dimensions in inches / mm

FRONT VIEW



SIDE VIEW



*Adjustable leg height: 5.3 – 7.7 in / 135-195 mm



TRIPLE 252 + MAGMB252

Mibrasa® Parrilla with stand

OPTIONAL STAND



TECHNICAL INFORMATION

Ref.	GMB252-3GR + MAGMB252
Net weight ³	1510 lb / 685 kg
Crated weight ³	1989 lb / 902 kg
Crate dimensions (WxDxH)	104.4 x 39.8 x 78.8 in 2650 x 1010 x 2000 mm


Ref.	MAGMB252
Net weight ³	176 lb / 80 kg
Crated weight ³	220 lb / 100 kg
Crate dimensions (WxDxH)	104.4 x 39.8 x 27.6 in 2650 x 1010 x 700 mm

OPTIONAL ACCESSORIES


- Stainless steel casters [WINOXG]

Dimensions in mm

FRONT VIEW



SIDE VIEW



*Adjustable leg height 135-195 mm